



THE STATE  
of **ALASKA**  
GOVERNOR MIKE DUNLEAVY

Department of Environmental  
Conservation

DIVISION OF WATER

Wastewater Discharge Authorization Program

555 Cordova Street  
Anchorage, Alaska 99501-2617  
Main: 907.269.6285  
Fax: 907.334.2415

[www.dec.alaska.gov/water/wwdp](http://www.dec.alaska.gov/water/wwdp)

April 8, 2022

Manolis Kasselas  
RCL Cruises, Ltd.  
The First Floor, North Wing, 7 The Heights,  
Weybridge, Surrey, KT13 0XW  
United Kingdom

Re: Authorization to Discharge 2013DB0004-0032: Ovation of the Seas

Dear Mr. Kasselas:

The Alaska Department of Environmental Conservation (DEC) has completed its review and acknowledges that you have submitted a complete Notice of Intent (NOI) form for the 2013DB0004 Large Commercial Passenger Vessel Wastewater Discharge General Permit (Permit).

The Ovation of the Seas is hereby authorized to discharge treated wastewater into Alaska marine waters and is issued wastewater discharge authorization number 2013DB0004-0032. Discharge from this vessel is authorized in accordance with the terms and conditions of the general permit and any vessel-specific conditions included in this document.

An electronic copy of the Permit and this authorization is available at the Department website <http://dec.alaska.gov/water/cruise-ships/cruise-general-permit/>.

**The following are vessel specific conditions that apply to this authorization:**

- 1) Treated wastewater discharge is ONLY authorized when the vessel is operating at speeds of 6 knots or greater.
  - a. Mixing Zone: A mixing zone was not requested for this vessel.
  - b. Effluent limits and sampling requirements are identified in Tables 2 and 5 of the Permit.
- 2) Discharge from multiple ports simultaneously is prohibited.


The permittee is reminded of the following permit requirements, and is responsible for all submissions and activities in the Permit even if they are not summarized below:

- All Commercial Passenger Vessels must register annually see Permit Part 2.1.3. <http://dec.alaska.gov/water/cruise-ships/cruise-registration/>.
- As per Permit Part 4.2.3, the permittee shall notify the Department, in writing, of wastewater treatment system modifications that change information provided to the Department in the approved NOI form at least 48 hours prior to the discharge of any treated wastewater into marine waters of the state. The NOI Application form can be accessed at the Departments website <http://dec.alaska.gov/water/cruise-ships/cruise-general-permit/>.
- Quality Assurance Project Plan (QAPP) see Permit Part 6.1: The owner/operator of a vessel that intends to discharge wastewater into Alaskan waters must submit a wastewater sampling QAPP to ADEC for approval.

- Vessels Specific Sampling Plan (VSSP) see Permit Part [6.2](#): All vessels are required to have an approved Vessel Specific Sampling Plan (VSSP) 21 days before sampling.
- Sampling requirements for discharges underway at speeds greater than 6 knots and associated effluent limits can be found in Tables [2](#), [3](#) and [5](#) of the permit.
- Sampling requirements for discharges at speeds less than 6 knots and associated effluent limits are located in Tables [4](#) and [6](#) of the permit.
- Discharge Monitoring Reports (DMRs): see Permit Part [7.2](#): DMRs are required for each calendar month that the vessel operated in the marine waters of the state and must be submitted within the first 21 days of the following calendar month.
- Submit all CPVEC registration correspondence, support documents, and reports to: [DEC.WQ.Cruise@alaska.gov](mailto:DEC.WQ.Cruise@alaska.gov) or mail to: ADEC-CPVEC, ATTN: Cruise Ship Program P.O. Box 111800 Juneau, AK 99811-1800.
- A copy of the General Permit 2013DB0004 and this authorization letter must be kept onboard the vessel. This letter does not relieve the permittee from other local, state, or federal government permitting requirements.

Please reference your permit authorization number 2013DB0004-0032 and vessel name in all future correspondence. If you have any questions regarding the above, please contact Sam Kito at 907-269-7542, or via email at [Sam.Kito@alaska.gov](mailto:Sam.Kito@alaska.gov).

Sincerely,



James Rypkema

Program Manager, Cruise Ship Permitting

Enclosure: NOI

cc: [DEC.WQ.Cruise@alaska.gov](mailto:DEC.WQ.Cruise@alaska.gov)



## NOTICE OF INTENT FORM

<b>Notice of Intent to be covered under the Wastewater General Permit 2013DB0004 for Large Commercial Passenger Vessels Operating in Alaska (See Sections 2 and 3 of the permit.)</b>	
Submission of this document constitutes a request that certain discharges into marine waters of the state resulting from the operation of the large commercial passenger vessels identified herein be authorized under General Permit 2013-DB0004.	
<b>Vessel Owner Information</b>	
Who is the main point of contact for the vessel? (e.g. owner, operator, or Alaska Agent): Owner / Operator	
Vessel Owner's Business Name: Ovation of the Seas, Inc. c/o Royal Caribbean Cruises Ltd.	
Mailing Address:  The First Floor, North Wing, 7 The Heights, Weybridge, Surrey, KT13 0XW United Kingdom	Phone:  +44 7775 003285
Representative: Manolis Kasselas	Email: mkasselas@rccl.com
<b>Vessel Owner's or Operator's Alaska Agent Information</b>	
Company Name: : RCL Cruises, Ltd.	
Mailing Address:  The First Floor, North Wing, 7 The Heights, Weybridge, Surrey, KT13 0XW United Kingdom	Phone  +44 7775 003285:
Representative: Manolis Kasselas & John Hanley	Email: <a href="mailto:mkasselas@rccl.com">mkasselas@rccl.com</a> Email: <a href="mailto:jhanley@rccl.com">jhanley@rccl.com</a>
<b>Vessel Operator's Business Name if Different From the Owner's Business Name</b>	
Vessel Operator's Business Name: RCL Cruises Ltd.	
Mailing Address:  The First Floor, North Wing, 7 The Heights, Weybridge, Surrey, KT13 0XW United Kingdom	Phone:  +44 7775 003285
Representative: : Manolis Kasselas & John Hanley	Email: <a href="mailto:mkasselas@rccl.com">mkasselas@rccl.com</a>

Notice of Intent

Large Commercial Passenger Vessel Wastewater General Permit

2013DB0004

	Email: <a href="mailto:jhanley@rccl.com">jhanley@rccl.com</a>
--	---

<b>Vessel Information (Y/N)</b>	
Are you seeking authorization to discharge with a mixing zone?	N
Are you seeking authorization to discharge while moving at 6 knots or greater?	Y
Are you seeking authorization to discharge while moving at under 6 knots?	N
Are you seeking authorization to discharge while in Skagway at Broadway or Ore Docks?	N
<b>If the permittee is seeking authorization which includes a mixing zone, attach (may be emailed separately) a drawing to scale that indicates the length of the vessel and the locations of all wastewater effluent penetration points (ports) on the hull.</b>	
Vessel Name:	Ovation of the Seas
Vessel IMO Number:	9697753
Vessel Gross Tonnage:	168,666
Port of Registry:	Nassau, Bahamas
Maximum Passenger Capacity per Voyage:	5011
Maximum Crew Capacity per Voyage:	1551
Vessel Draft <sup>1</sup> :	8.1 m/26' 7" (min) 8.8 m/28' 10" (max)
Vessel Length in Meters at Waterline <sup>2</sup> :	321.1 m / 1053.5 ft
<b>Vessel Tracking</b>	
Method of submitting hourly vessel tracking information while in Alaskan waters (Marine Exchange of Alaska AIS or other Department approved method):	
Name, physical address, and mailing addresses of the service:	Ovation of the Seas
Contact's name, email address, and phone number:	Environmental Officer – <a href="mailto:OV_environmentalofficer@rccl.com">OV_environmentalofficer@rccl.com</a> John Hanley – Jhanley@rccl.com

<sup>1</sup> Vessel draft under a) loaded condition for Alaska operations (bunkers / waste water storage etc.) and b) under light ship conditions for Alaska operations (bunkers empty / no waste water storage etc.)

<sup>2</sup> Length of Waterline (LWL) under normal load in standard Alaska conditions.

<b>Discharge Port Characteristics</b>			
<b>Note: If there is more than one discharge port attach a sheet with the characteristics below for each AWTs Port. If more than one discharge pump attach sheet with capacity for each.</b>			
Discharge Port Name <sup>3</sup> :	761A3057	Location (Starboard/Port):	Port
Discharge Port Internal Diameter:	5 inches	Discharge Port Centerline Vertical Distance from Keel:	3.5 meters
Discharge Port Distance from Bow at Waterline (normal load):	250 meters	Discharge Port Centerline Vertical Distance from Waterline (normal load) <sup>4</sup> :	5.3 meters
Discharge Port shape (round, oval, square):	round	Discharge Port Pump Capacity (m <sup>3</sup> /hr) for each Pump <sup>5</sup> :	120 m <sup>3</sup> /hour
Discharge Port Vertical Angle Relative to Waterline <sup>6</sup> :	70 °	Discharge Port Horizontal Angle Relative to Centerline <sup>7</sup> :	Above 20°

<b>Wastewater Discharge Information</b>		
Estimates of the average and maximum volume of the wastewater to be discharged per 24 hour period (in cubic meters), and the beginning and ending dates between which discharges may occur the first year of the permit;	Average:	1100 m <sup>3</sup> /day
	Maximum:	1200 m <sup>3</sup> /day
	Startup Date:	May 5, 2022
	Ending date:	Sep 30, 2022
The type, number, and combined maximum design capacity in cubic meters per 24 hour period of all advanced wastewater treatment	Type (s) (including manufacturer, model name, model number, and year built):	Scanship AS, AWP60  Year built: 2016

<sup>3</sup> Name or identification as used in VSSP and Waste Water Discharge Logbook.

<sup>4</sup> Vertical distance from the vertical centerline of the discharge port relative to the standard (loaded) conditions waterline.

<sup>5</sup> Treated wastewater discharge pump for the named discharge port. For vessels with variable speed / capacity pumps identify the effective discharge capacities. For vessels with more than one pump simultaneously operated identify the total effective pump capacities.

<sup>6</sup> Parallel with the Vertical Longitudinal Center Plane orientation of the hull orientation angle defined as the angle in degrees between the horizontally perpendicular projected line originating from the vertical longitudinal center plane of the hull self to the center of the discharge port, and the projected perpendicular line originating from the port center self (face) vertically directed to the center plane of the hull (Y-Y axis).

<sup>7</sup> Parallel with the Vertical Longitudinal Center Plane orientation of the hull orientation angle defined as the angle in degrees between the horizontally perpendicular projected line originating from the vertical longitudinal center plane of the hull self to the center of the discharge port, and the projected perpendicular line originating from the port center self (face) horizontally directed to the vertical center plane of the hull (X-X axis).

systems (AWTS) onboard;	Number of AWTS:	1
	Combined design capacity:	1566 m3/day
Type(s) of sewage treatment and system capacity in cubic meters per 24 hour period;	Type (s) (including manufacturer, model name, model number, and year built):  Scanship AS,  AWP60 2016  Combined design capacity: 1566 m3	
Type(s) of graywater treatment and system capacity in cubic meters per 24 hour period;	Type (s) (including manufacturer, model name, model number, and year built):  Same as Sewage Treatment System Combined design  Combined design capacity: 1566 m3	
Average volume of sewage generation per day in cubic meters;	100m3	
Maximum volume of sewage generation per day in cubic meters;	110m3	
Average graywater generation per day in cubic meters for the following sources;	Accommodations: 400 m3  Galley: 220 m3  Laundry: 200 m3  Other (list types and volumes):  Recreational Water Facilities 170 m3  Washing of decks and general maintenance 30m3	
Maximum graywater generation per day in cubic meters for the following sources;	Accommodations: 450 m3  Galley: 300 m3  Laundry: 220 m3  Other (list types and volumes):  Recreational Water Facilities 180 m3  Washing of decks and general maintenance 40m3	
The method of handling and disposal of sludge and biosolids produced from the treatment of sewage and graywater.  Bio waste de-watered and accumulated in Bio Waste Holding silos are either pumped overboard when ship is in Sea Condition (outside 13 nm from the nearest baseline and minimum ship's speed 7 knots) or subsequent dried and incinerated by using type approved onboard incinerators.		
<b>Signature and Certification for NOI</b>		
I certify under penalty of law that this document and all attachments were prepared under my		

direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I have no personal knowledge that the information submitted is other than true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations.

Signature of Responsible Corporate Officer



Printed Name

Manolis Kasselas

Title/Company

AVP, Marine Operations, RCL Cruises, Ltd.

Date

3/9/2022

**Submit this Notice of Intent to:**

**Commercial Passenger Vessel Environmental Compliance Program  
Division of Water  
Alaska Dept. of Environmental Conservation  
PO Box 111800  
Juneau, AK 99811-1800**