

National Water Quality Monitoring Council, Water Quality Portal, excerpt for Crooked Creek, Alaska (USGS-15304010)

Activity Start Date	ActivityStart Time/Time	Monitoring Location Identifier	CharacteristicName	ResultMeasure Value	ResultMeasure/ MeasureUnitCode	Result Status Identifier	Result Value Type Name
7/17/2019	13:03:00	USGS-15304010	Temperature, water	12.6	deg C	Preliminary	Actual
7/31/2018	13:21:00	USGS-15304010	Temperature, water	11.6	deg C	Accepted	Actual
7/31/2018	13:19:00	USGS-15304010	Temperature, water	11.5	deg C	Accepted	Actual
7/31/2018	13:18:00	USGS-15304010	Temperature, water	11.5	deg C	Accepted	Actual
8/13/2019	19:24:00	USGS-15304010	Temperature, water	11.5	deg C	Preliminary	Actual
7/2/2009	16:22:00	USGS-15304010	Temperature, water	11.5	deg C	Accepted	Actual
7/31/2018	13:30:00	USGS-15304010	Temperature, water	11.5	deg C	Accepted	Actual
8/13/2019	19:17:00	USGS-15304010	Temperature, water	11.5	deg C	Preliminary	Actual
8/13/2019	19:21:00	USGS-15304010	Temperature, water	11.5	deg C	Preliminary	Actual
8/13/2019	19:19:00	USGS-15304010	Temperature, water	11.5	deg C	Preliminary	Actual
7/31/2018	13:12:00	USGS-15304010	Temperature, water	11.5	deg C	Accepted	Actual
8/13/2019	19:25:00	USGS-15304010	Temperature, water	11.5	deg C	Preliminary	Actual
7/2/2009	16:21:00	USGS-15304010	Temperature, water	11.5	deg C	Accepted	Actual
8/13/2019	19:28:00	USGS-15304010	Temperature, water	11.5	deg C	Preliminary	Actual
8/13/2019	19:22:00	USGS-15304010	Temperature, water	11.5	deg C	Preliminary	Actual
8/13/2019	19:27:00	USGS-15304010	Temperature, water	11.5	deg C	Preliminary	Actual
7/31/2018	13:20:00	USGS-15304010	Temperature, water	11.5	deg C	Accepted	Actual
8/13/2019	19:26:00	USGS-15304010	Temperature, water	11.5	deg C	Preliminary	Actual
8/13/2019	19:23:00	USGS-15304010	Temperature, water	11.5	deg C	Preliminary	Actual
8/13/2019	19:20:00	USGS-15304010	Temperature, water	11.5	deg C	Preliminary	Actual
7/31/2018	13:16:00	USGS-15304010	Temperature, water	11.4	deg C	Accepted	Actual
7/31/2018	13:17:00	USGS-15304010	Temperature, water	11.4	deg C	Accepted	Actual
7/2/2009	16:18:00	USGS-15304010	Temperature, water	11.4	deg C	Accepted	Actual
7/31/2018	13:15:00	USGS-15304010	Temperature, water	11.4	deg C	Accepted	Actual
7/2/2009	16:20:00	USGS-15304010	Temperature, water	11.4	deg C	Accepted	Actual
7/2/2009	16:17:00	USGS-15304010	Temperature, water	11.4	deg C	Accepted	Actual
7/31/2018	13:13:00	USGS-15304010	Temperature, water	11.4	deg C	Accepted	Actual
7/2/2009	16:19:00	USGS-15304010	Temperature, water	11.4	deg C	Accepted	Actual
7/2/2009	15:40:00	USGS-15304010	Temperature, water	11.4	deg C	Accepted	Actual
7/31/2018	13:14:00	USGS-15304010	Temperature, water	11.4	deg C	Accepted	Actual
7/2/2009	16:16:00	USGS-15304010	Temperature, water	11.3	deg C	Accepted	Actual

National Water Quality Monitoring Council, Water Quality Portal, excerpt for Crooked Creek, Alaska (USGS-15304010)

7/2/2009	16:11:00	USGS-15304010	Temperature, water	11.3	deg C	Accepted	Actual
7/7/2007	16:20:00	USGS-15304010	Temperature, water	9.7	deg C	Accepted	Actual
6/25/2010	9:10:00	USGS-15304010	Temperature, water	8.9	deg C	Accepted	Actual
6/26/2020	19:10:00	USGS-15304010	Temperature, water	8.9	deg C	Preliminary	Actual
8/1/2017	17:00:00	USGS-15304010	Temperature, water	8.3	deg C	Accepted	Actual
8/1/2017	16:58:00	USGS-15304010	Temperature, water	8.3	deg C	Accepted	Actual
8/1/2017	16:54:00	USGS-15304010	Temperature, water	8.3	deg C	Accepted	Actual
8/1/2017	16:52:00	USGS-15304010	Temperature, water	8.3	deg C	Accepted	Actual
8/1/2017	16:51:00	USGS-15304010	Temperature, water	8.3	deg C	Accepted	Actual
8/1/2017	16:56:00	USGS-15304010	Temperature, water	8.3	deg C	Accepted	Actual
8/8/2007	18:15:00	USGS-15304010	Temperature, water	8.2	deg C	Accepted	Actual
8/8/2007	17:35:00	USGS-15304010	Temperature, water	8.1	deg C	Accepted	Actual
8/8/2007	17:40:00	USGS-15304010	Temperature, water	8.1	deg C	Accepted	Actual
8/8/2007	17:20:00	USGS-15304010	Temperature, water	8.1	deg C	Accepted	Actual
6/5/2018	14:30:00	USGS-15304010	Temperature, water	7.8	deg C	Accepted	Actual
8/19/2009	10:40:00	USGS-15304010	Temperature, water	7.8	deg C	Accepted	Actual
6/5/2018	14:29:00	USGS-15304010	Temperature, water	7.8	deg C	Accepted	Actual
6/5/2018	14:28:00	USGS-15304010	Temperature, water	7.8	deg C	Accepted	Actual
6/5/2018	14:31:00	USGS-15304010	Temperature, water	7.8	deg C	Accepted	Actual
6/5/2018	14:27:00	USGS-15304010	Temperature, water	7.8	deg C	Accepted	Actual
6/5/2018	14:32:00	USGS-15304010	Temperature, water	7.8	deg C	Accepted	Actual
5/18/2017	18:56:00	USGS-15304010	Temperature, water	7.5	deg C	Accepted	Actual
8/9/2007	13:20:00	USGS-15304010	Temperature, water	7.5	deg C	Accepted	Actual
5/18/2017	18:59:00	USGS-15304010	Temperature, water	7.5	deg C	Accepted	Actual
5/18/2017	18:57:00	USGS-15304010	Temperature, water	7.5	deg C	Accepted	Actual
8/9/2007	13:22:00	USGS-15304010	Temperature, water	7.5	deg C	Accepted	Actual
5/18/2017	18:55:00	USGS-15304010	Temperature, water	7.5	deg C	Accepted	Actual
8/9/2007	13:24:00	USGS-15304010	Temperature, water	7.5	deg C	Accepted	Actual
8/9/2007	12:40:00	USGS-15304010	Temperature, water	7.5	deg C	Accepted	Actual
8/9/2007	13:23:00	USGS-15304010	Temperature, water	7.5	deg C	Accepted	Actual
5/18/2017	18:58:00	USGS-15304010	Temperature, water	7.5	deg C	Accepted	Actual
8/9/2007	13:26:00	USGS-15304010	Temperature, water	7.5	deg C	Accepted	Actual
8/9/2007	13:25:00	USGS-15304010	Temperature, water	7.5	deg C	Accepted	Actual
5/18/2017	19:00:00	USGS-15304010	Temperature, water	7.5	deg C	Accepted	Actual

National Water Quality Monitoring Council, Water Quality Portal, excerpt for Crooked Creek, Alaska (USGS-15304010)

8/10/2007	9:50:00	USGS-15304010	Temperature, water	7	deg C	Accepted	Actual
9/7/2007	8:40:00	USGS-15304010	Temperature, water	6.4	deg C	Accepted	Actual
9/6/2007	11:50:00	USGS-15304010	Temperature, water	6.2	deg C	Accepted	Actual
9/6/2007	12:08:00	USGS-15304010	Temperature, water	6.2	deg C	Accepted	Actual
9/6/2007	12:00:00	USGS-15304010	Temperature, water	6.2	deg C	Accepted	Actual
9/6/2007	12:04:00	USGS-15304010	Temperature, water	6.2	deg C	Accepted	Actual
9/6/2007	12:10:00	USGS-15304010	Temperature, water	6.2	deg C	Accepted	Actual
9/6/2007	12:06:00	USGS-15304010	Temperature, water	6.2	deg C	Accepted	Actual
9/6/2007	12:02:00	USGS-15304010	Temperature, water	6.2	deg C	Accepted	Actual
9/6/2007	12:12:00	USGS-15304010	Temperature, water	6.2	deg C	Accepted	Actual
7/1/2008	17:30:00	USGS-15304010	Temperature, water	5.8	deg C	Accepted	Actual
7/1/2008	18:32:00	USGS-15304010	Temperature, water	5.8	deg C	Accepted	Actual
7/1/2008	18:34:00	USGS-15304010	Temperature, water	5.8	deg C	Accepted	Actual
7/1/2008	18:37:00	USGS-15304010	Temperature, water	5.8	deg C	Accepted	Actual
7/1/2008	18:30:00	USGS-15304010	Temperature, water	5.8	deg C	Accepted	Actual
7/1/2008	18:40:00	USGS-15304010	Temperature, water	5.8	deg C	Accepted	Actual
7/1/2008	18:28:00	USGS-15304010	Temperature, water	5.8	deg C	Accepted	Actual
7/1/2008	18:38:00	USGS-15304010	Temperature, water	5.8	deg C	Accepted	Actual
9/12/2017	15:11:00	USGS-15304010	Temperature, water	5.6	deg C	Accepted	Actual
9/12/2017	15:09:00	USGS-15304010	Temperature, water	5.6	deg C	Accepted	Actual
9/12/2017	15:10:00	USGS-15304010	Temperature, water	5.6	deg C	Accepted	Actual
9/12/2017	15:13:00	USGS-15304010	Temperature, water	5.6	deg C	Accepted	Actual
9/12/2017	15:12:00	USGS-15304010	Temperature, water	5.6	deg C	Accepted	Actual
9/12/2017	15:08:00	USGS-15304010	Temperature, water	5.6	deg C	Accepted	Actual
9/3/2010	11:17:00	USGS-15304010	Temperature, water	5.1	deg C	Accepted	Actual
9/3/2010	11:20:00	USGS-15304010	Temperature, water	5.1	deg C	Accepted	Actual
9/3/2010	11:11:00	USGS-15304010	Temperature, water	5.1	deg C	Accepted	Actual
9/3/2010	11:14:00	USGS-15304010	Temperature, water	5.1	deg C	Accepted	Actual
9/3/2010	11:08:00	USGS-15304010	Temperature, water	5.1	deg C	Accepted	Actual
9/3/2010	10:30:00	USGS-15304010	Temperature, water	5.1	deg C	Accepted	Actual
10/2/2018	16:30:00	USGS-15304010	Temperature, water	4.9	deg C	Accepted	Actual
10/2/2018	16:53:00	USGS-15304010	Temperature, water	4.9	deg C	Accepted	Actual
10/2/2018	16:54:00	USGS-15304010	Temperature, water	4.9	deg C	Accepted	Actual
10/2/2018	16:55:00	USGS-15304010	Temperature, water	4.9	deg C	Accepted	Actual

National Water Quality Monitoring Council, Water Quality Portal, excerpt for Crooked Creek, Alaska (USGS-15304010)

10/2/2018	16:52:00	USGS-15304010	Temperature, water	4.9	deg C	Accepted	Actual
10/2/2018	16:51:00	USGS-15304010	Temperature, water	4.9	deg C	Accepted	Actual
10/14/2009	16:30:00	USGS-15304010	Temperature, water	3.8	deg C	Accepted	Actual
10/15/2009	16:50:00	USGS-15304010	Temperature, water	3	deg C	Accepted	Actual
5/14/2019	18:39:00	USGS-15304010	Temperature, water	2.9	deg C	Preliminary	Actual
5/14/2019	18:35:00	USGS-15304010	Temperature, water	2.9	deg C	Preliminary	Actual
5/14/2019	18:40:00	USGS-15304010	Temperature, water	2.9	deg C	Preliminary	Actual
5/14/2019	18:36:00	USGS-15304010	Temperature, water	2.9	deg C	Preliminary	Actual
5/14/2019	18:38:00	USGS-15304010	Temperature, water	2.9	deg C	Preliminary	Actual
5/14/2019	18:37:00	USGS-15304010	Temperature, water	2.9	deg C	Preliminary	Actual
10/7/2008	13:56:00	USGS-15304010	Temperature, water	0.9	deg C	Accepted	Actual
10/7/2008	13:55:00	USGS-15304010	Temperature, water	0.8	deg C	Accepted	Actual
10/7/2008	13:51:00	USGS-15304010	Temperature, water	0.8	deg C	Accepted	Actual
10/7/2008	13:49:00	USGS-15304010	Temperature, water	0.8	deg C	Accepted	Actual
10/7/2008	13:48:00	USGS-15304010	Temperature, water	0.8	deg C	Accepted	Actual
10/7/2008	13:53:00	USGS-15304010	Temperature, water	0.8	deg C	Accepted	Actual
10/7/2008	13:54:00	USGS-15304010	Temperature, water	0.8	deg C	Accepted	Actual
10/7/2008	13:20:00	USGS-15304010	Temperature, water	0.8	deg C	Accepted	Actual
5/12/2010	16:30:00	USGS-15304010	Temperature, water	0.6	deg C	Accepted	Actual
5/13/2010	13:15:00	USGS-15304010	Temperature, water	0.6	deg C	Accepted	Actual
5/1/2009	16:00:00	USGS-15304010	Temperature, water	0.4	deg C	Accepted	Actual
5/1/2009	15:56:00	USGS-15304010	Temperature, water	0.4	deg C	Accepted	Actual
5/1/2009	15:50:00	USGS-15304010	Temperature, water	0.3	deg C	Accepted	Actual
5/1/2009	16:02:00	USGS-15304010	Temperature, water	0.3	deg C	Accepted	Actual
5/1/2009	16:04:00	USGS-15304010	Temperature, water	0.3	deg C	Accepted	Actual
5/1/2009	15:20:00	USGS-15304010	Temperature, water	0.3	deg C	Accepted	Actual
5/1/2009	16:06:00	USGS-15304010	Temperature, water	0.3	deg C	Accepted	Actual
5/8/2008	18:45:00	USGS-15304010	Temperature, water	0.2	deg C	Accepted	Actual
5/8/2008	18:57:00	USGS-15304010	Temperature, water	0.2	deg C	Accepted	Actual
5/8/2008	18:54:00	USGS-15304010	Temperature, water	0.2	deg C	Accepted	Actual
5/8/2008	19:00:00	USGS-15304010	Temperature, water	0.2	deg C	Accepted	Actual
5/8/2008	18:51:00	USGS-15304010	Temperature, water	0.2	deg C	Accepted	Actual
5/8/2008	18:38:00	USGS-15304010	Temperature, water	0.2	deg C	Accepted	Actual
5/8/2008	18:36:00	USGS-15304010	Temperature, water	0.2	deg C	Accepted	Actual

National Water Quality Monitoring Council, Water Quality Portal, excerpt for Crooked Creek, Alaska (USGS-15304010)

5/8/2008	18:00:00	USGS-15304010	Temperature, water	0.2	deg C	Accepted	Actual
5/8/2008	18:32:00	USGS-15304010	Temperature, water	0.2	deg C	Accepted	Actual
5/8/2008	18:48:00	USGS-15304010	Temperature, water	0.2	deg C	Accepted	Actual
10/12/2007	11:42:00	USGS-15304010	Temperature, water	0.1	deg C	Accepted	Actual
10/12/2007	11:44:00	USGS-15304010	Temperature, water	0.1	deg C	Accepted	Actual
10/12/2007	11:39:00	USGS-15304010	Temperature, water	0.1	deg C	Accepted	Actual
10/12/2007	10:55:00	USGS-15304010	Temperature, water	0.1	deg C	Accepted	Actual
10/12/2007	11:28:00	USGS-15304010	Temperature, water	0.1	deg C	Accepted	Actual
10/12/2007	11:20:00	USGS-15304010	Temperature, water	0.1	deg C	Accepted	Actual
10/12/2007	11:40:00	USGS-15304010	Temperature, water	0.1	deg C	Accepted	Actual
10/12/2007	11:47:00	USGS-15304010	Temperature, water	0.1	deg C	Accepted	Actual
3/26/2009	16:21:00	USGS-15304010	Temperature, water	0	deg C	Accepted	Actual
1/21/2009	12:00:00	USGS-15304010	Temperature, water	0	deg C	Accepted	Actual
5/5/2010	12:00:00	USGS-15304010	Temperature, water	0	deg C	Accepted	Actual
4/2/2008	18:41:00	USGS-15304010	Temperature, water	0	deg C	Accepted	Actual
4/2/2008	17:50:00	USGS-15304010	Temperature, water	0	deg C	Accepted	Actual
3/26/2009	15:40:00	USGS-15304010	Temperature, water	0	deg C	Accepted	Actual
4/2/2008	18:40:00	USGS-15304010	Temperature, water	0	deg C	Accepted	Actual
4/2/2008	18:39:00	USGS-15304010	Temperature, water	0	deg C	Accepted	Actual
3/26/2009	16:13:00	USGS-15304010	Temperature, water	0	deg C	Accepted	Actual
5/2/2009	7:00:00	USGS-15304010	Temperature, water	0	deg C	Accepted	Actual
3/22/2011	19:50:00	USGS-15304010	Temperature, water	0	deg C	Accepted	Actual
4/2/2008	18:37:00	USGS-15304010	Temperature, water	0	deg C	Accepted	Actual
3/26/2009	16:23:00	USGS-15304010	Temperature, water	0	deg C	Accepted	Actual
3/26/2009	16:19:00	USGS-15304010	Temperature, water	0	deg C	Accepted	Actual
3/26/2009	16:17:00	USGS-15304010	Temperature, water	0	deg C	Accepted	Actual
4/2/2008	18:44:00	USGS-15304010	Temperature, water	0	deg C	Accepted	Actual
1/20/2010	19:20:00	USGS-15304010	Temperature, water	0	deg C	Accepted	Actual