

As outlined in 18 AAC 50.077(c) ADEC has reviewed & issued determinations for the certification test reports of the devices listed below. For dispute of a decision by the department a review may be requested under 18 AAC 15.185 or 18 AAC 15.195 – 18 AAC 15.340 within 30 days of the determination date.

Note: Models on this list are subject to change upon review and approval of additional or new information

Manufacturer	Model	Test Method	Automated List Status	Disapproval Date
A.J. Wells and Sons	Charnwood Skye E700	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Arada Stoves Ltd.	Farrington 16	EPA M28R	Moved to Disapproved list (unable to verify emission threshold)	9/1/2020
Blaze King Industries Inc	Ashford AF30.2, Chinook CK30.2, and Sirocco SC30.2	EPA M28R	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Blaze King Industries Inc	PI29 Princess Insert	EPA M28R	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Dovre	Norflam Harbor Light, Sierra Flame Lynwood W76, SBI Cape Town 1800	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
England's Stoves	15-SSW01, 50-SHSSW01, 50-TRSSW01	EPA M28R	Moved to Disapproved list (unable to verify emission threshold)	9/1/2020
England's Stoves	15-W06, 50-SHW06, 50-SHW06L, 50TRW06, 15-W08, 50-SHW08, 50-SHW08L, 50TRW08	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
England's Stoves	32-NC, 50-SNC32, 50-TNC32	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Foyers Suprême	Astra 18, Elegance 30, Novo 18 – Soapstone, and Novo 18 – Cast Iron	EPA M28R	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Foyers Suprême	Astra 24 24SFC	EPA M28R	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Foyers Suprême	Astra 32 and Elegance 40	EPA M28R	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Foyers Suprême	Astra 38, Elegance 42, Novo 38 – Soapstone, Novo 38 Cast Iron	EPA M28R	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Foyers Suprême	Ambiance Elegance 36 24SF, Novo 24-Soapstone	EPA M28R	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Foyers Suprême	Fusion 18 18FN	EPA M28R	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
FPI / Regency Fireplace Products	F2450	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
FPI / Regency Fireplace Products	CI2700, HI500	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
FPI / Regency Fireplace Products	F5200	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Hearthstone Quality Home Heating Products Inc.	WFP100	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Hearthstone Quality Home Heating Products Inc.	Heritage 8024	EPA M28R	Moved to Disapproved list (did not meet ADEC's emission threshold)	4/30/2024
HHT/Hearth and Home Technologies	Quadra Fire Pioneer - III	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
HHT/Hearth and Home Technologies	Intrepid Flexburn 2115	EPA M28R	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
HHT/Hearth and Home Technologies	Quadra Fire 57ST-ACC-C	EPA M28R	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
HHT/Hearth and Home Technologies	Vermont Castings Dauntless Flexburn Catalytic Model	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
HHT/Hearth and Home Technologies	Vermont Castings Dauntless FlexBurn Model	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
HHT/Vermont Castings	Aspen C3	EPA M28R	Moved to Disapproved list (unable to verify emission threshold)	9/1/2020
Innovative Hearth Products	S160 AGL, S160TGL, C160AGL, T160AGL, WX2016	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Innovative Hearth Products	Ladera CAT WRT3920WS	EPA M28R	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Innovative Hearth Products	Montecito Estate CAT and WCT6940WS	EPA M28R	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Innovative Hearth Products	GV230GL and ML230GL	EPA M28R	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Innovative Hearth Products	GV300GL and ML300GL	EPA M28R	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
J. A. Roby	Cook, Cicero, Chief, Cuistot, Elda, and Marmiton	EPA M28R	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
J.A. Roby	Polaris, Centauri, Vega, Sirius, Antares and Rigel	EPA M28R	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Jotul	F602 v2	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020

Kuma Stove and Iron Works	K-180 Series, Aspen LE, Tamarack LE, Aberdeen LE, Alpine LE	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Morso Jernstoberi A/S	3112B/3142B	EPA M28R	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
New Buck Coporation	Model 74	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
New Buck Coporation	Model 91	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Pacific Energy Fireplace Products	Super Insert LE, Alderlea T5 Insert LE, Super LE, Super Classic LE, Alderlea T5 LE	EPA M28R	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Pacific Energy Fireplaces	NEO 2.5 LE, NEO 2.5 Insert LE, NEOSTONE 2.5 LE	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
RAIS A/S	Viva 100 L (CA) USA, Viva 100 L G (CA) USA, Viva 100 L Classic (CA) USA, Viva 100 L G Classic (CA) USA, Viva 120 L (CA) USA, Viva 120 L G (CA) USA, Viva 120 L Classic (CA) USA, Viva 120 L G Classic (CA) USA, Viva 160 L (CA) USA, Viva 160 L G (CA) USA	EPA M28R	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Stove Builder International, Inc.	HE350, FP-15-Waterloo, Horizon, and Monaco XL, WFP100	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Stove Builder International, Inc.	3.5 Series - Solution 3.5, Escape 2100, HT-3000, Osburn 3500, Gateway 3500	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Stove Builder International, Inc.	2.3 Series (Archway 2300, FW2900, FW2900-SD, Gateway 2300, Green Mountain Insert 70, Escape 1800, Inspire 2000, Inspire 2000-I, Matrix, Escape 1800-I, Osburn 2000, Osburn 2000-I)	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	6/13/2023
Thelin Company Inc. (Carbon Products)	Thelin Parlour T-4000	EPA M28R	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Travis Industries	Lopi Cape Cod Hybrid-Fyre	ASTM E3053	Moved to Disapproved list (unable to verify emission threshold)	9/1/2020
Travis Industries	Evergreen	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Travis Industries	Endeavor	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Travis Industries	Liberty	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Travis Industries	44 Elite	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Travis Industries	36 Elite	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Travis Industries	Lopi Rockport Hybrid-Frye	EPA M28R	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Travis Industries	Medium Flush Wood Hybrid Frye Insert	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Travis Industries	Large Flush Wood Insert	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Travis Industries	Large Flush Hybrid Frye	ASTM E3053	Moved to Disapproved list (unable to verify emission threshold)	9/1/2020
Travis Industries	Medium Flush	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
United States Stove Company	US1800E, VG1820, AW1820E, CH18, NM690, SW1.8, AHWS1820	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
United States Stove Company	1269e	EPA M28R	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Wolf Steel	Timberwolf 2200, Timberwolf EPI22, Napoleon S20, Napoleon S20-I, Napoleon 2020-S, Napoleon 2020-Si	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Wolf Steel	Timberwolf 2100, Napoleon S15	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Wolf Steel	Napoleon EPI3C, Napoleon EPI3T, Napoleon EPI3TN	Not reported	Moved to Disapproved list (unable to verify emission threshold)	9/1/2020
Woodstock Soapstone Company, Inc	212N Navajo Hybrid Wood Coal	Other	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/6/2022
Woodstock Soapstone Company, Inc	210 Ideal Steel	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Woodstock Soapstone Company, Inc	Absolute Steel Hybrid 211	EPA M28R	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/1/2020
Travis Industries, Inc.	42 Apex NexGen-Hybrid	EPA M28R	Moved to Disapproved list (did not meet ADEC's emission threshold)	6/15/2023
Stove Builder International, Inc.	1.4 Series (Osburn 950, Escape 1200, Gateway 1400, Solution 1.4, Spark II, Fox, Déco Nano, S250, Harmony 1.4, HES140, Blue Ridge 100)	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	6/15/2023
RSF / Industrial Chimney Company, Incorporated	RSF 3600 Series: Pearl 3600, Perle 3600, Focus 3600, Focus 3600i, Focus 3600s	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	6/15/2023

Stove Builder International, Inc.	Bistro	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	6/13/2023
FPI / Regency Fireplace Products	F3500B-1	EPA M28R	Moved to Disapproved list (did not meet ADEC's emission threshold)	9/30/2025
Sierra Products, Inc.	S2300 FS, S2300 PB	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	12/31/2025
Sierra Products, Inc.	S8000II TEC	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	12/31/2025
MF Fire	Nova C	EPA M28R	Moved to Disapproved list (did not meet ADEC's emission threshold)	12/31/2025
Foyers Suprême	Fusion 24 24FN	ASTM E3053	Moved to Disapproved list (did not meet ADEC's emission threshold)	12/31/2025
Foyers Suprême	Lumis 22 – Soapstone, Regal 22 – Soapstone, Flair 29, Lumis 22 - Cast Iron, Regal 22 – Cast Iron	EPA M28R	Moved to Disapproved list (did not meet ADEC's emission threshold)	03/31/2026