



NOTICE OF REVIEW

APDES Proposed Final Individual Permit

Alaska Department of Environmental Conservation (DEC)
Wastewater Discharge Authorization Program
555 Cordova Street
Anchorage, Alaska 99501

NOTICE OF REVIEW OF AN ALASKA POLLUTANT DISCHARGE ELIMINATION SYSTEM (APDES) PROPOSED FINAL INDIVIDUAL PERMIT TO DISCHARGE TO WATERS OF THE UNITED STATES

Following the close of a 30-day public notice period, DEC has prepared an APDES proposed final individual permit for the Kodiak Fisheries Research Center discharging to the Trident Basin. Prior to making the final decision to issue the individual permit, DEC invites you to view the proposed final individual permit and associated documents. You can access the proposed final individual permit and associated documents at DEC's Wastewater Discharge Authorization Program web page at:

<http://www.dec.state.ak.us/water/wastewater/>

Proposed Final Permit Review

Start Date: November 9th, 2023

End Date: November 20th, 2023, at 11:59 PM AST

Permit No.: AK0062282

Proposed Permit Coverage:

The proposed discharge consists of treated seawater system effluent from research operations, marine habitat tanks via Outfall 001A located at 57.782° North latitude and 152.782° West longitude with a maximum discharge design flow rate of 110,880 gallons per day to Trident Basin. Pollutants of concern are 5-day biological oxygen demand, total suspended solids, total settleable solids, fecal coliform bacteria, enterococci bacteria, temperature, dissolved oxygen, pH, and total residual chlorine.

Mixing Zone:

A mixing zone for total residual chlorine is authorized by this permit for two years under a compliance schedule for installing a dechlorination system. After completion of the compliance schedule chlorine effluent limits will be regulated at the point of discharge and the mixing zone will no longer be authorized.

Determination:

The DEC has determined to issue the above listed individual permit.

DEC Contact: Amber Bennett
907-451-2190
amber.bennett@alaska.gov

Administrative Record:

The APDES proposed final permit, fact sheet, and associated documents are available for public review at the DEC offices located in Anchorage, Fairbanks, Juneau, Soldotna, and Wasilla. Please contact the office of your choice to arrange for hard copies of the documents to be available for your review.

555 Cordova Street Anchorage , AK 99501 907-269-6285	610 University Avenue Fairbanks , AK 99709 907-451-2100	P.O. Box 111800 Juneau , AK 99811-1800 Location: 410 Willoughby Ave, Suite 303 Juneau , AK 907-465-5300
43335 Kalifornsky Beach Road Soldotna , AK 99615 907-262-5210	1700 E Bogard Road #B, Suite #103 Wasilla , AK 99654 907-376-1850	

The documents are also accessible from the ADEC website at:

<http://www.dec.state.ak.us/water/wastewater/>

Disability Reasonable Accommodation Notice

The State of Alaska, Department of Environmental Conservation complies with Title II of the Americans with Disabilities Act of 1990. If you are a person with a disability who may need a reasonable accommodation in order to participate in this public process, please contact Claire Fishwick at 907-465-5066 or TDD Relay Service 1-800-770-8973/TTY or dial 711 to ensure that any necessary accommodations can be provided in a timely manner.