



Alaska Department of Environmental Conservation

Revised Total Coliform Rule- Sample Siting Plan for Systems Operating Year-Round

All public water systems (PWS) are required to have an approved sample siting plan. These plans are required to be updated when changes occur that could alter the number of samples collected or the sample locations. *Examples: population increase or decrease, water line extensions, changes in monitoring frequency, etc.*

Systems Operating Year-Round

I. General Information			
PWS Name:		PWSID #:	
PWS Address:			
Contact Name:		Phone #:	
E-mail:		Fax #:	
Water System Type:	Community	Non-Transient Non-Community	Transient Non-Community
Population Served (# of):	_____ Residents	_____ Non-Transient	_____ Transient _____ Total Pop
Number of Service Connections: _____			
Number of Routine Samples Required: _____ per _____ Month _____ Quarter			
Source Types:	Ground Water	Purchased Ground Water	
(Check all that apply)	Surface Water	Purchased Surface Water or GWUDISW*	
	GWUDISW*	Filtration Avoidance System (Surface Water)	
<i>*Ground Water Under Direct Influence of Surface Water</i>			

Guidelines for Sample Site Selection

- * Identify total coliform sample locations that adequately represent the entire distribution system(s)
- * Swivel taps, automatic/motion-sensing faucets, and water treatment devices should be avoided
- * Do NOT collect samples from outside taps or hoses
- * Routine sample sites should be accessible for routine and repeat testing
- * Three Repeat samples are required following each total coliform positive routine sample (Systems with wells must also collect a raw source water sample from each active well). Repeat sampling sites should be selected as follows:
 - * One must be collected from the original routine site that tested total coliform positive
 - * One must be collected from within five service connections upstream
 - * One must be collected from within five service connections downstream
- * For systems on quarterly monitoring, you will be required to collect 3 samples the month following a total coliform positive sample. Since the sample site selection will depend on the specific circumstances surrounding the positive sample(s) these sample sites do not need to be included in this plan
- * Ground water source samples must be taken from raw water sample taps

Please return this form to your DEC Drinking Water Program Office.

A copy of this completed sample siting plan must be maintained on file at the PWS.

Anchorage DEC Office
 555 Cordova Street
 Anchorage, AK 99501
 Fax: 269-7650
DEC.DWData.Anchorage@alaska.gov

Fairbanks DEC Office
 610 University Ave.
 Fairbanks, AK 99709
 Fax: 451-2188
DEC.DWData.fairbanks@alaska.gov

Soldotna DEC Office
 43335 K-Beach Road, Suite 11
 Soldotna, AK 99669
 Fax: 262-2294
dec.dwdata.soldotna@alaska.gov

Wasilla DEC Office
 1700 E. Bogard Road
 Building B, Suite 103
 Wasilla, AK 99654
 Fax: 376-2382
DEC.DWData.wasilla@alaska.gov

II. Sampling Information

A. Routine Sample Rotation Schedule

Routine Sample Site	1st Quarter			2nd Quarter			3rd Quarter			4th Quarter		
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1.												
2.												
3.												
4.												
5.												

B. Routine and Repeat Sample Locations


Routine Sample Sites Location/Address	Repeat Sample Sites Location/Address
1.	1-1 Original sample site
	1-2 Upstream
	1-3 Downstream
2.	2-1 Original sample site
	2-2 Upstream
	2-3 Downstream
3.	3-1 Original sample site
	3-2 Upstream
	3-3 Downstream
4.	4-1 Original sample site
	4-2 Upstream
	4-3 Downstream
5.	5-1 Original sample site
	5-2 Upstream
	5-3 Downstream

C. Reasons for Choosing Routine Sample Locations

1.
2.
3.
4.
5.

D. System Schematic

Provide a line drawing in the space below or attach a separate sheet or map of this public water system that **identifies** water system facilities (sources, storage, treatment, distribution, and pressure zones) and sample point locations.



E. Sample Interval Description

Describe below how you plan to ensure that samples are collected at evenly spaced time intervals:

Example for systems collecting 1 sample/month - We plan to collect our routine sample the first week of each month

Example for systems collecting multiple samples/month - We plan to collect our routine samples every Tuesday throughout the month

Example for systems collecting 1 sample/quarter - We plan to collect our routine sample the first month of each quarter

F. Groundwater Rule Triggered Source Water Monitoring

If you answer "No" to the question below, you are required to perform source water monitoring, from each active well under the Groundwater Rule in the event of a routine total coliform positive sample. This sampling is in addition to the repeat sampling required by the RTCR. Enter your source sample site information in the table below. If you need more space, attach additional sheets.

Do you provide DEC-approved 4-log treatment of viruses for all your groundwater sources?

Yes

No

N/A- We do not have any wells or all of our water is treated as SW or GWUDISW
(There are no wells in the distribution system that bypass surface water treatment.)

Groundwater Rule Triggered Source Water Monitoring	
Source ID/Name	Description of location of raw water sample tap

DEC Area Office: _____ Date Received: ____/____/____

Was a dual purpose sample approved? Yes No Date discussed with Supervisor: ____/____/____

NOTE: The only systems eligible for using a dual purpose sample are Groundwater systems, serving 1,000 or fewer people, that only have 1 well, and serve a single building with 2 or fewer sample taps.

Sample Siting Plan deemed complete and satisfactory? Yes No

Comments:

State Reviewer Signature: _____ Date: ____/____/____