

Map & Photo Legend



Westward Seafoods looking southeast.

- | | | | |
|--|----------------------------------|--|---------------------|
| | Free-oil Recovery, Shallow Water | | Road |
| | Exclusion Booming | | Staging Area |
| | Sea-water Intake | | Gate |
| | Protected-water Boom | | Large Anchor System |




Captains Bay and Dutch Harbor looking northeast.

Processor Protection Plans for Seafood Processors in Alaska



Westward Seafoods, AK PPP-04

Center of map at 53° 51.51' N Lat., 166° 33.27' W Lon.



This is not intended for navigational use.

Soundings in fathoms

ID	Location and Description	Response Strategy	Implementation	Response Resources	Staging Area	Site Access	Resources Protected (months)	Special Considerations
AK-PPP04-01 	Captains Bay Nearshore waters in the general area of: Lat. 53°51.67'N Lon. 166°33.44'W	Free-oil Recovery Maximize free-oil recovery in the offshore & nearshore environment of Captains Bay depending on spill location and trajectory.	Deploy free-oil recovery strike teams upwind and up current of Captains Bay. Use aerial surveillance to locate incoming slicks.	Deploy multiple free-oil recovery strike teams as required to maximize interception of oil before it impacts the fish processing facility in Captains Bay.	Vessel Platform	Via marine waters Chart 16530-1	Same as AK-PPP04-02	Vessel master should have local knowledge. Use extreme caution, shoal waters and extensive commercial vessel traffic.
AK-PPP04-02 	Westward Seafoods Processing Facility Shoreside Anchor Points Lat. 53°51.53'N Lon. 166°33.04'W Lat. 53°51.42'N Lon. 166°33.40'W	Exclusion Exclude oil from entering the immediate area around the Westward Seafood Processing Facility. Coordinate with the facility managers to ensure the seawater intakes are within the excluded area.	Deploy anchors and boom with skiffs. Place 2500 ft. of protected-water boom in a chevron pattern in front of the Westward Facility. Set a large anchor system on the reef in front of the facility as an anchor point for the array. Do not use the Navigation light as an anchor. Establish 2 gates in the array to allow vessel access. Operating the gates will require a fishing vessel with sufficient power to manage the boom in a variety of conditions. Tend throughout the tide.	Deployment Equipment 2500 ft. protected-water boom 12 ea. small anchor systems 1 ea. large anchor system 8 ea. anchor stakes 2 ea. gate system Vessels 1 ea. class 3 1 ea. class 6 Personnel/Shift 5 ea. vessel crew/general techs Tending Vessels 1 ea. class 3 1 ea. class 6 Personnel/Shift 3 ea. vessel crew/general tech	Westward Seafoods Dock	Via marine waters Chart 16530-1	Westward Seafoods Processing Facility	Vessel master should have local knowledge. Geographic Response Strategy for the Pyramid Creek, AEB-16 should be deployed concurrently. Tested: not yet