# ADEC's Community-Based Air Sensor Network

Quarterly Call December 9, 2025 10:00 AM AKST

Lydia Johnson, <u>lydia.johnson@alaska.gov</u>
Simeon Ng, <u>simeon.ng@alaska.gov</u>
Kelly Ireland, <u>kelly.ireland@alaska.gov</u>
Grace Carico, <u>grace.carico@alaska.gov</u>
Isaac Van Flein, <u>isaac.vanflein@alaska.gov</u>
Ayla Crosby, <u>ayla.crosby@alaska.gov</u>

#### **Housekeeping Items**

- Mute Please mute yourself for presentations.
- Please use chat during presentation as you have questions/comments.
  - 20-30 minutes of planned discussion time at end
  - Mark your calendar for next call! March 10<sup>th</sup> 10-11am



### Agenda

Welcome!

Sensor network overview and progress

Data findings


Next steps

Questions and discussion




DEC's Regulatory Network

- Regulatory stations in 3 Metropolitan Statistical Areas (MSAs)
  - Anchorage / Mat-Su (4 sites)
  - Fairbanks (3 sites)
  - Juneau (1 site)
- Monitor criteria pollutants:
  - Particulate matter (PM<sub>2.5</sub> and PM<sub>10</sub>)
  - Gases:
    - Carbon monoxide (CO)
    - Nitrogen dioxide (NO<sub>2</sub>)
    - ► Ozone (O<sub>3</sub>)
    - Sulfur dioxide (SO<sub>2</sub>)




#### DEC's Low-Cost Sensor Network

- Over 40 sensors currently deployed in 38 communities
- QuantAQ Modulair sensors:
  - PM<sub>10</sub> and PM<sub>2.5</sub>, CO, NO, NO<sub>2</sub>, O<sub>3</sub>, temp, relative humidity
- Non-regulatory data
  - Trend analysis
- Cellular Network Coverage Limitations
  - Plans for expansion







Salcha

**Delta Junction** 

Tok

Galena

Denali





**Campbell Creek** 

**Science Center** 

Glennallen

Valdez


**Big Lake** 

**Tyonek** 




### We are growing!

- ► Map as of December 2025
  - Continued expansion as we...
  - Deploy sensors with Wi-Fi capabilities
  - Develop sub-networks
    - Interior wildfire monitoring network
    - Municipality of Anchorage network




#### New sensor installs




#### New Wi-Fi Sensors

- Compared several sensor models in collocation study throughout summer 2025
  - Goal to determine optimal model to integrate into Community Sensor Network to reach areas of Alaska without adequate cell service
- ► The accuracy and precision of each sensor was determined by its agreement with data from the Garden permanent QuantAQ Modulair<sup>TM</sup> pod
  - In the regression analysis plots shown, the linear line of best fit and corresponding statistical values infer how well the sensors agree with each other.








#### New Wi-Fi Sensors


QuantAQ Modulair<sup>TM</sup> – PM sensors are equipped with both Wi-Fi and cellular network connection capabilities


Currently in sensor-acquisition process

Aiming to install to establish host sites and install new Wi-Fi sensors in interior Alaska to monitor wildfire smoke in the

coming year.







MODULAIR-PM

QUANTAO



MODULAIR-PM

Distribution of currently available networks for sensor connections.

#### **Sensor Audits**

- As of December 2025, audits have been completed in Glennallen, Badger, Bethel, Galena, Nenana, Haines, Valdez, Yakutat, Cordova, Goldstream, and Wrangell
- Upcoming audits in Southcentral and Interior regions
- Audit pod from nearest regulatory site (Anchorage, Fairbanks, or Juneau), is temporarily installed for 1 week next to local pod to:
  - Assess sensor performance
  - Ensure data validity
- Determine sensor agreement using regression analysis and project objectives:

**R**<sup>2</sup> **Slope Intercept**  $\ge 0.70 \ 1.0 \pm 0.35 \ -5 \le b \le 5$ 


























### Nenana Audit





Project Objectives

**R**<sup>2</sup> **Slope Intercept**  $\ge 0.70 + 1.0 \pm 0.35 + 0.35$  **Intercept**  $-5 \le b \le 5$ 










### Cordova Audit





Project Objectives


R<sup>2</sup> Slope Intercept

≥ 0.70 1.0 ± 0.35  $-5 \le b \le 5$ 










### Haines – Community Burns Effect on PM, CO





- Observed elevated PM and CO concentrations throughout morning of October 9<sup>th</sup>
- Reached out to community contact for additional insight:
  - They noted several active brush and burn piles and "there wasn't any wind and there was some moisture, so it was a popular day for burning around here."




#### Kamchatka Volcano Event

- July 29 Magnitude 8.8 earthquake hits off the southeast coast of Kamchatka
- Russian Academy of Sciences reports 7 volcanoes in the Kamchatka peninsula began erupting
  - ► Klyuchevskoy Volcano Tallest (4.75 km) active volcano in Eurasia
- Japanese observatory reported volcanic emissions going east at 30-70 mph










Klyuchevskoy Volcano erupting from July 29-30, 2025 Credit: Himawari-9 Satellite - Japanese Meteorological Society

#### Kamchatka Volcano Event

- Reports of incoming ash led to flight cancellations in Nome, Kotzebue, and Utqiagvik on August 12
  - Cancellations delayed grocery deliveries for residents
- Sensor in Nome potentially picked up some of the emissions

- Travel advisory was confined to 15k-35k feet, but more flights were canceled out of caution
  - Ex: Bering Air canceled 20 flights, including those at 10k feet



#### **Timeline**

- August 1-7: Clear skies, normal weather.
- August 8: Clouds roll in, bringing cooler temps and light rain that will last until August 13. Rain tamps down on dust, lower PM<sub>10</sub> for a few days.
- August 10-11: Observed CO spikes, possibly from volcanic gasses passing over Nome.
- August 11: Observed rise and gradual fall of PM<sub>2.5</sub> / PM<sub>10</sub> concentration, possibly from Klyuchevskoy's volcanic ash emissions.
- August 13: Volcanic ash cloud dissipates, as reported by pilots and meteorologists.
- **August 14**: Clouds clear, diurnal temperature cycles continue with cooler average.

#### Nome Dust Activity

- In October, Nome experienced a multi-week period of dry weather characterized by several freeze-thaw cycles
  - Top layer of sediment was dried and loosened, easily picked up by wind
  - Vehicle activity picked up lots of dust that lingered around roadways
  - Late arrival of snow in Nome
- Inversion conditions set in around October 20<sup>th</sup>
  - Dust levels became concerning
  - Road dust spread out to blanket town
  - Inversion conditions prevented dust dispersal
- Norton Sound Health Corporation issued air quality PSA
  - NSHC conferred w/ DEC meteorologist
  - NSHC PSA included information on how to limit exposure to harmful dust










### Nome Dust Activity









Images Credit: Tori Crawford Environmental Coordinator at the Office of Environmental Health Norton Sound Health Corporation








•	Ambient conditions	are the	first week	end in N	ovember.
	7 tilibiciti ooligitiolis	ale tile	III OL WOOK	CHA III I	OVCITIOGI.

- Hourly data that spanned over each three-day event and an ambient period.
- Ticket sales for each event Salmonfest 8000 tickets, Sacred Acre est. 3000 tickets, Ninilchik population of 984.

Date and Time	Max Value (μg/m³)	Event
2025-08-01 22:0	00:00 20.30	Salmonfest
2025-08-03 02:0	00:00 14.78	Salmonfest
2025-08-03 01:0	00:00 13.40	Salmonfest
2025-09-07 01:0	00:00 12.65	Sacred Acre
2025-08-03 22:0	00:00 11.98	Salmonfest
2025-09-07 00:0	00:00 6.88	Sacred Acre
2025-09-05 22:0	00:00 6.18	Sacred Acre
2025-11-08 01:0	00:00 5.76	November Ambient



#### Juneau Particulate Matter less than 2.5 µM 24-hour Average



### Mean PM<sub>2.5</sub> Hourly Concentration

No cruise	Cruise in
in port	Port
2.36	3.75

#### Port Status


no cruise in port

There is a statistically significant difference (p =  $2x10^{-16}$ ) between the mean hourly PM<sub>2.5</sub> concentration in Juneau when there is a cruise ship versus when there is not, but both mean concentrations are within the "good" air quality index category.



#### Diurnal Plots – Southern Gulf Coast


Southern Gulf Coast Quants: Median  $PM_{2.5}$  Concentrations Apr 2025 - Nov 2025





#### Diurnal Plots – Western & Southern Interior


Western & Southern Interior Quants: Median PM<sub>2.5</sub> Concentrations Apr 2025 - Nov 2025





#### Diurnal Plots – Southern Kenai Peninsula

Southern Kenai Peninsula Quants: Median PM<sub>2.5</sub> Concentrations Apr 2025 - Nov 2025





## Interested about a specific sensor within a range of dates?

Community Sensor Network Diurnal Comparisons



#### **Community Data Reports**


- Semi-annual reports giving overview of sensor performance, data preview, and air quality education resources
- Summer Season covers April 1, 2025 September 30, 2025 available now
- Winter Season covers October 1, 2025 March 31, 2026 – available late spring 2026
- New web page format!
- View all reports at <a href="https://dec.alaska.gov/air/air-monitoring/instruments-sites/community-based-monitoring/community-data-reports/">https://dec.alaska.gov/air/air-monitoring/instruments-sites/community-based-monitoring/community-data-reports/</a>




#### Sensor Performance

Denalis PM2,3 ambient air quality for the summer 2025 season fell mostly in the Good range of the Air Quality Index (AQI; more information about AQI is provided in Resources) for April, May, August, and September, with notable periods of Moderate to Hazardous AQI in June and July due to wildfires across interior Alaska. Diurnal patterns show little variation in median PM2.5 concentrations throughout the hour of day or day of the week, with June and July experiencing significantly higher median concentrations than other summer months.

#### Hourly PM<sub>2.5</sub> Air Quality Index (AQI) for Summer 2025







#### **Summary Statistics of Air Pollutants**

STATISTIC	1-HOUR PM <sub>2.5</sub> (µg/m³)	24-HOUR PM <sub>2.5</sub> (μg/m <sup>3</sup> )	1-HOUR PM <sub>10</sub> (µg/m³)	24-HOUR PM <sub>10</sub> (µg/m³)	O <sub>3</sub> (ppb)	NO <sub>2</sub> (ppb)	NO (ppb)	CO (ppm)
MINIMUM	0	0.1	0	0.2	0.96	2.09	0.54	0
MEAN	3.4	3.2	10.7	10.2	18.6	12.99	6.05	0.17
1ST MAX	438.5	119	877	124	47.76	44.3	120.82	1.1
2ND MAX	365.4	119	635.2	87.6	47.19	39.46	108.62	0.9



# Local Air Quality Observations

Local Air Quality Observations Form https://dec.alaska.gov/air/airmonitoring/instrumentssites/community-based-monitoring/

#### **Local Air Quality Observations**

This form serves as a repository for Alaska Department of Environmental Conservation's Air Monitoring and Quality Assurance (DEC AMQA) team to collect observations on local conditions or events in a community that may impact air quality or air quality sensor data validity.

Please Select	<b>~</b>
What time does this local co	ondition/event start?
MM-DD-YYYY	⊕ HH:MM PM ✓
Date	Hour Minutes
What time does this local co	ondition/event start?
MM-DD-YYYY	
Date	Hour Minutes
What local condition or ever Please Select	nt occurred?
Please provide any addition	al details about what you observed if you have any. For tion seem out of the norm for your local community?
suample, desethie absence	





# Rowing in the same direction

- Sensor Network Expansion
  - Wi-Fi sensors
  - Interior wildfire network
  - Municipality of Anchorage network
- We want to host your air quality data on our website!
- **▶** DEC sensor network collaboration
  - Contact us for direct collaboration
  - ► Future calls and knowledge share
  - ▶ Data available at request
  - What data do you want to see?





Wrangell

















### Thank you to all our community partners!




- ► Tok Community Library
- ▶ Palmer Public Library
- ► Big Lake Public Library
- ► Ninilchik Library













Kenai Peninsula College
University of Alaska Anchorage










AT&T





















#### Questions

- Next quarterly call date: March 10<sup>th</sup> 10-11am. Registration link will be emailed to our contact list.
- Visit our <u>Air Quality Index Map</u> (or Google 'Alaska air quality' and look for DEC AQI link)
- Contact info is in chat and in QR code

#### Resources

- Not sure what sensor to buy?
  - ► EPA Air Sensor Toolbox: <u>epa.gov/air-sensor-toolbox</u>
  - South Coast AQMD's AQ-SPEC program and evaluations: <u>aqmd.gov/aq-spec</u>
  - Contact us!
- ► ANTHC's PurpleAir program contact ANTHC
- ► EPA Air Sensor Loan Program <a href="https://www.epa.gov/air-sensor-toolbox/air-sens



