



641 W. Willoughby Ave., Suite 301 Juneau, AK 99801 (907) 463-4415

---

Stacie Evans  
PO Box 1029  
Haines, AK 99827

June 23, 2025

**Takshanuk Watershed Council – Haines Beach**

Date of Collection: June 10, 2025  
Sampling Location: Haines, AK

**Summary**

Four samples from Takshanuk Watershed Council were received at Admiralty Environmental, Juneau, AK on June 10, 2025.

The samples were analyzed for fecal coliform and enterococci bacteria. All laboratory acceptance criteria were met for all samples.

A complete report of the final lab results is enclosed. The official laboratory report follows this letter, and includes the analytical results, case narrative, chain of custody form, and cooler receipt form.

Kind Regards,

A handwritten signature in black ink, appearing to read "Hope", with a stylized flourish at the end.

Hope O'Neill  
Admiralty Environmental



641 W. Willoughby Ave., Suite 301, Juneau, AK 99801  
(907) 463 - 4415  
www.admiraltyenvironmental.com

## Takshanuk Watershed Council

Haines BEACH

June 10, 2025

Haines, AK

## Analytical Report

Admiralty Environmental EPA ID AK 00976

AE 38104

Sample Location	Date/Time Sampled	Fecal Coliform (FC/100mL)	Enterococci (MPN/100mL)
Pyramid	06/10/2025; 10:21	5.0	10
Portage	06/10/2025; 10:00	2.0	<10
Tanani	06/10/2025; 09:38	<2.0	<10
Pyramid - Dup	06/10/2025; 10:21	5.0	<10

### Quality Control:

Analysis	MB	LCS	LCS Duplicate	RPD	Date/Time Commenced	Holding Time Met	Analyst
FC	ND	---	---	---	06/10/2025; 16:02	Yes	NH
Enteroc	---	---	---	---	06/10/2025; 15:57	Yes	RC

### Analysis Description:

Analysis	Method	DF	MDL	PQL	Unit
FC	SM 9222D	2	2.0	2.0	FC/100ml
Enteroc	ASTM D6503-99	10	10	10	MPN/100ml

### Case Narrative:

All sample analysis QA/QC parameters were met for this event.

### Key:

DF	Dilution Factor
Enteroc	Enterococci
FC	Fecal Coliform
LCS	Laboratory Control Standard
MB	Method Blank
MDL	Method Detection Limit
mg/L	Milligrams Per Liter
ND	Not Detected
PQL	Practical Quantitation Limit
RPD	Relative Percent Difference

David Wetzel  
CTO, Admiralty Environmental  
dwetzel@admiraltyenv.com





# Admiralty Environmental Cooler Receipt Form

Lab: **Admiralty Environmental, LLC**  
Client: **Takshanuk Watershed Council**

AE 38104

Date Opened: **6/10/2025** Opened by: **K. Swidzinski**

## A. External Cooler Conditions

### • Local Sampling Event

1. Project ID: **n/a**

2. COC Attached? **n/a** Properly Completed? **n/a** Signed by AE employee? **n/a**

Small Temp. Blank **n/a** (temp in Celsius)

Large Temp. Blank: **n/a** (temp in Celsius)

### • Air-Transported Sampling Event

1. Project ID: **Haines BEACH**

2. COC Attached? **yes** Properly Completed? **yes** Signed by AE employee? **yes**

3. Airbill attached? **yes** Airbill #: **7369458**

4. Custody Seals? **yes**

5. Seals intact? **yes**

Temp. Blank: **3.18** (temp in Celsius)

COMMENTS:

## B. Sample Conditions

Number of Samples Received: **4** Packing type: **cooler**

Number of Bottles Received: **4**

1. Samples in proper bags? **yes**

2. Bottles intact? **yes**

3. Sufficient sample volume? **yes**

4. Labels agree with COC? **yes**

5. Samples delivered within holding time? **yes**

6. Sample preservation checked? **n/a**

Problems encountered: **no**

Was the project manager called? **no**

COMMENTS:

Signature: 

Date and time: **6/10/25; 1513**