



# Temporary Waiver

## No Other Adequate Source of Heat (NOASH)

Solid fuel-fired heating devices on properties located in the Fairbanks North Star Borough (FNSB) Nonattainment Area are subject to use restrictions if fine particulate matter (PM<sub>2.5</sub>) reaches unhealthy levels for sensitive individuals and the department has called an air quality episode (Alert) under 18 AAC50.246. An owner or operator of a solid fuel-fired heating device may continue to use their device during a curtailment if a written temporary waiver is received. In order to receive a temporary No Other Adequate Source (NOASH) waiver, the following must apply:

### Eligibility

- 1) The subject structure must be heated and the structure has no adequate heating source without using a solid fuel burning appliance (SFBA);
- 2) Economic hardship requires use of the SFBA;
- 3) Complying with the restriction would result in damage to property including damage to the appliance itself and its heating components.
- 4) The device is located within the nonattainment area. Please call Division of Air Quality or see website for zoomable map of nonattainment area.

### Criteria and Documentation Needed:

- 1) Documentation of all solid fuel-fired devices on the property.
  - a. Picture of device and device label
  - b. Refer to [Device Label Examples \(PDF\)](#) for assistance.
- 2) Documentation of ability to properly store wood.
  - a. Picture of wood storage
- 3) Property address where appliance is located.
- 4) Taken class or training in proper wood burning techniques.
  - a. Burn-wise videos: <https://dec.alaska.gov/air/burnwise>
- 5) Sign up to receive text alerts or emails: <https://dec.alaska.gov/air/anpms/air-alert-notification-sign-up/>
- 6) Description of how eligibility criteria is met. **(Complete *NOASH Rationale Affidavit*)**
- 7) Acknowledge restrictions for wood burning stoves **(Complete *Notice of Restrictions*)**
- 8) Documentation/date of last chimney sweep (must be within the last 12 months). **(Complete *Chimney Cleaning Affidavit*)**
- 9) Verification of Proper Installation **(Complete *Installation Verification Affidavit*)**
- 10) Pre-apply for FNSB change-out program **(Complete *ADEC Waiver Pre-Application*)**
- 11) ***If Applicable***: If the device is equipped with a catalyst, provide proof that the catalyst is working properly/replaced in accordance with manufacturer recommendations or specifications. **(Complete *Catalyst Maintenance Affidavit*)**

If requesting a NOASH for economic hardship, you must also provide documentation of hardship. This documentation may be established by showing approval for assistance from a list of agencies or programs that provide economic assistance. Please contact the Department's Division of Air Quality to request a list of programs. If the NOASH waiver is granted, the resident may continue to use their solid fuel-fired heating device during Stage 1 and Stage 2 air alerts. However, operation of the device is still subject to 18 AAC 50.075 – visible emission standards. Solid fuel-fired heating devices should be able to meet opacity limits if burning dry wood, which is required under 18 AAC 50.076 (b)(1).

# Application for DEC NOASH Waiver

Complete one form per building and return the form(s) and accompanying documents to **Division of Air Quality, 610 University Ave., Fairbanks, AK 99709**. For more information call (907) 451-2132 or visit our Fairbanks North Star Borough (FNSB) PM2.5 Hot Topics section on our website at [dec.alaska.gov/air](http://dec.alaska.gov/air). **The Department is subject to the Alaska Public Records Act, AS 40.25 et seq. and this application document may be subject to public disclosure under state law.**

I \_\_\_\_\_, the owner or other person with property or managerial  
 (Printed Name)

interest in a building located at

\_\_\_\_\_ (property address, including zip code)

request a NOASH waiver to allow the use of the following solid fuel burning appliance(s) located on the property identified above during air alerts as set forth by 18 AAC 50.246 for the following reason(s). I understand that the solid fuel-fired heating device being used to heat the structure must meet current State Standards.

**(Initial all that apply)**

- \_\_\_\_\_ The building relies on a solid fuel-fired heating device as its sole source of heat.
- \_\_\_\_\_ The building has no adequate heating source without using a solid fuel-fired heating device.
- \_\_\_\_\_ Complying with an alert restriction would result in damage to property including damage to the appliance itself and its heating system components.
- \_\_\_\_\_ An economic hardship requires that the building use a solid fuel-fired heating device **(documentation required)**.

**I am requesting the NOASH waiver for the following appliance(s):**

(Please fill out the following information to the best of your ability. All information will be reviewed by Air Quality staff prior to granting a NOASH waiver. If information cannot be verified, a waiver will not be granted.)

| Make/Model/Serial Number of device. | EPA Certified?<br>(Circle one) | If yes, emission rating? | Device Manufacture Date | Year Device was Installed |
|-------------------------------------|--------------------------------|--------------------------|-------------------------|---------------------------|
| 1)                                  | Yes No N/A                     |                          |                         |                           |
| 2)                                  | Yes No N/A                     |                          |                         |                           |
| 3)                                  | Yes No N/A                     |                          |                         |                           |

# NOASH Rationale Affidavit



An owner or operator of a solid fuel-fired heating device may continue to use their device during a curtailment only if a written temporary waiver is received. In order to receive a temporary No Other Adequate Source (NOASH) waiver, one of the following must apply and be demonstrated:

## Eligibility

- 1) The subject structure must be heated and the structure has no adequate heating source without using a SFBA;
- 2) Economic hardship requires use of the SFBA;
- 3) Complying with the restriction would result in damage to property including damage to the appliance itself and its heating components;
- 4) No documented curtailment violations

## (Initial all that apply)

- The building relies on a solid fuel-fired heating device as its sole source of heat.
- The building has no adequate heating source without using a solid fuel-fired heating device.
- Complying with an alert restriction would result in damage to property including damage to the appliance itself and its heating system components.
- An economic hardship requires that the building uses solid fuel (**documentation required**).
- ✓ Attach documentation showing receipt of assistance. (e.g. Unemployment, Denali Kid Care, WIC, Social Security/Disability)

## The specific details of why I need a NOASH waiver, and I am unable/unwilling to accept one of the options provided by the FNSB AQ Change-out Program are as follows:

(Note: Stating that your device or home “needs repair” or “needs more heat”, is not an adequate explanation to justify the issuance of a NOASH waiver. You are required to define specifics such as what needs to be repaired in detail. To show device inadequacy provide the device specifications heating needs such as square footage and device heat rating, etc. to adequately demonstrate the heating issue. These are examples of the level of detail needed to justify the need for a NOASH.) – attach additional paper if needed.

---

---

---

---

---

If a waiver is granted, any violation of opacity or other solid fuel burning requirements in the future will result in the waiver being revoked, and future waiver applications will be denied.

I certify that the statements and information in and attached to this document, are true, accurate, and complete.

\_\_\_\_\_  
Owner

\_\_\_\_\_  
Date

# Notice of Restrictions for Solid Fuel Burning Appliances



In December 2009, the EPA designated a portion of the Fairbanks North Star Borough (FNSB) as a nonattainment area for fine particulate matter (PM<sub>2.5</sub>). In order to reduce emissions and clean up FNSB's air, the Department of Environmental Conservation (the Department) developed regulations and a State Implementation Plan which created guidelines and restrictions on the installation and operation of solid fuel burning appliances (SFBA's).  
DISCLAIMER: Below is a general summary that is not inclusive of all Air Quality regulations and only references SIP Section III.D.5.11.

A complete copy of Department Air Quality regulations can be found online at: <http://dec.alaska.gov/media/1038/18-aac-50.pdf>

A copy of Section III.D.5.11 may be found at:

<http://dec.alaska.gov/media/6996/iii-d-5-11-emergency-episode-plan-12817-final.pdf>

## **Nonattainment Area-Wide Regulations**

\* **Prohibited Fuels** - Only clean wood that is **20% MOISTURE CONTENT OR LESS** is allowed to be burned in a wood burning appliance. Clean wood is defined as natural wood that has not been painted, varnished or coated with a similar material, has not been treated with preservatives, and does not contain resins or glues as in plywood or other composited wood products. There are many other prohibited fuels (e.g., garbage, glossy or colored paper, etc), per 18 AAC 50.076.

## **Nonattainment Area Regulations**

\* State Standards for solid fuel-fired heating devices - Only those devices that meet state standards may be installed (18 AAC 50.077), which are as follows: EPA certified wood and pellet stoves with an emissions rating of 2.5 g/hr or less, EPA certified hydronic heaters with an emissions rating of 0.32 lbs/million btu or less, masonry heaters, cook stoves, and fireplaces.

\*Outdoor Open Burn Restrictions – Between November 1 and March 31st, 18 AAC 50.065 prohibits open burning.

\*Opacity Requirements – 18 AAC 50.075(f) – A person may not operate a solid fuel-fired heating device in a manner that causes visible emission exceed 20% opacity for the first 15 minutes after initial firing of the device and no more than 6 minutes in any one hour. This requirement can be met if burning dry wood.

By signing below, I confirm that I have received and read the above notice.

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Printed Name: \_\_\_\_\_

Mailing Address: \_\_\_\_\_

Vendor Name (if applicable): \_\_\_\_\_



# Installation Verification Affidavit



Federal Regulations require that device installation meets the manufacturers' recommendations for optimal emissions performance. Various devices and their manufacturers have specific requirements. A device installed improperly can perform poorly and inefficiently. If the device is not installed properly, it can also lead to more particulate matter emitted when using the device.

Therefore, ensuring that the device is installed properly is required in order to qualify for a waiver.

**Was the device professionally installed?**  (yes/no).

**If yes:**

Original installation date of device: \_\_\_\_\_.

Company or name of installer: \_\_\_\_\_.

Device Manufacturer and Model: \_\_\_\_\_.

**If the device was not professionally installed an inspection verifying proper installation must be conducted by a certified professional.**

Date of inspection \_\_\_\_\_ by \_\_\_\_\_ (individual and company name)

\_\_\_\_\_  
Inspector Accreditation

\_\_\_\_\_  
Date of Accreditation

\_\_\_\_\_  
Inspector Signature

\_\_\_\_\_  
Date

**I certify that the statements and information in and attached to this document are true, accurate, and complete.**

\_\_\_\_\_  
Owner

\_\_\_\_\_  
Date

# ADEC NOASH and Stage 1 Waiver Pre-Application



In order to qualify for a NOASH and/or Stage 1 waiver, the Alaska Department of Environmental Conservation (ADEC) requires an applicant to verify that they have inquired with the Fairbanks North Star Borough (FNSB) to determine if they may qualify for the FNSB’s enhanced voluntary removal, replacement, and repair program (known as the “change-out program” or “WSCOP”). The waiver applicant must complete the “PRIOR to FNSB review” portion of this form.

Submit this document to FNSB by email at [aqip@fnsb.gov](mailto:aqip@fnsb.gov) or a hardcopy can be mailed to FNSB Air Quality, 3175 Peger Rd, Fairbanks, AK 99709.

Upon FNSB completion, include this form in your application submittal to ADEC.

**NOTE: ADEC NOASH OR STAGE 1 WAIVER APPLICATION DOES NOT REQUIRE PARTICIPATION IN THE WSCOP.**

The following information is necessary for the FNSB to determine eligibility for its programs (this information must match the application used for the waiver):

----- **To be filled in by waiver applicant **PRIOR** to **FNSB** review** -----

Name: \_\_\_\_\_ Phone#: \_\_\_\_\_  
Mailing Address: \_\_\_\_\_ Email: \_\_\_\_\_  
Property address where appliance is located: \_\_\_\_\_ Are you  
the legal owner(s) of the property? YES NO (Only legal owner(s) of the property can apply for change out program)  
Type of appliance (circle): wood stove pellet stove hydronic heater fireplace other: \_\_\_\_\_  
Manufacturer of appliance: \_\_\_\_\_ Manufactured Date: \_\_\_\_\_  
Model: \_\_\_\_\_

I understand that: (Initial each statement)

\_\_\_ The options presented by FNSB are based on a preliminary determination, subject to additional requirements;  
\_\_\_ This document is not an application to the FNSB change out program; and,  
\_\_\_ This document does not guarantee approval for any of the FNSB checked options below.

By signing below, I attest that all information provided is true and accurate to the best of my knowledge.

Waiver applicant signature: \_\_\_\_\_ Date: \_\_\_\_\_

Printed Name: \_\_\_\_\_

----- **To be filled in by **FNSB** Change-Out Program Staff** -----

### Replacement Appliance Options:

- Natural Gas/Propane
- Home Heating Oil
- Cert. Catalytic Wood Stove
- Pellet Stove / HH
- Emergency Power Back-up
- Electric
- Hot Water District Heat

### Other Available Options:

- Appliance Removal only  
(without replacement)
- Appliance Repair
- NOASH Reduction Program

### Ineligible:

- Funding Limitation
- Noncompliance

Program Staff Signature: \_\_\_\_\_ Date: \_\_\_\_\_ Program Staff

Printed Name: \_\_\_\_\_



## Catalyst Maintenance Affidavit

Federal regulations recommend a catalyst be visually inspected at least 3 times each burn season. Although device manufacturers have warranties that cover catalysts, a catalyst can easily be rendered inoperable if not used properly or if it has been contaminated by burning anything other than clean dry wood. If the catalyst is not operating or operating poorly then there is no control on particulate matter emitted when using the device. You should refer to your wood stove's user manual for proper catalyst operation, inspection, and troubleshooting.

**In order to qualify for a waiver, the applicant must ensure that the device's catalyst is working, inspect it periodically and replace it when necessary.**

Original purchase date of device: \_\_\_\_\_.

Device Manufacturer and Model: \_\_\_\_\_.

**Has the catalyst been serviced, replaced, or inspected within the last year?**  (yes/no).

**If yes:**

Date of service \_\_\_\_\_ by \_\_\_\_\_ (individual & company name).

\_\_\_\_\_  
Servicer Signature

\_\_\_\_\_  
Date

If the replacement/repair/inspection was performed by the owner of the device or property where the device is located, please provide a receipt for the new catalyst (if applicable) and a date stamped photo showing the replacement/repair/inspection being performed. **All maintenance, service and replacement must be done in accordance with the device's owner's manual.**

- Photos attached
  - ✓ Photo of cold catalyst showing condition
  - ✓ Photo of catalyst in operation
  - ✓ Photo of replacement/service (if applicable)
- Applicable Invoice/receipts attached (if applicable)
  - ✓ Receipt for new catalyst
  - ✓ Receipt for service/repairs

**If no:**

**And** if the current date is less than 1 year from original purchase, then please sign and attach documentation listing the installation date. Please note that a service, repair or visual inspection will be required once the initial year has passed, and periodically thereafter. \_\_\_\_\_ (initial).

**I certify that the statements and information in and attached to this document are true, accurate, and complete.**

\_\_\_\_\_  
Owner

\_\_\_\_\_  
Date



# Certification

I understand that by signing below I am requesting a NOASH waiver from the Department of Environmental Conservation, Division of Air Quality, to be able to use the appliance(s), listed in this application, during Stage 1 and 2 air alerts or curtailments. I also understand that a NOASH waiver is an exemption only with respect to the restrictions imposed during a Stage 1 or Stage 2 air alert, that the exemptions only apply as long as the factual circumstances indicated continue to exist, and the exemption does not excuse compliance with any other air quality control measures imposed by State law. **I understand that I am required to burn dry wood and I am still subject to the opacity requirements.**

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Mailing Address: \_\_\_\_\_

Phone Number: \_\_\_\_\_ E-mail address: \_\_\_\_\_

**PLEASE NOTE:** This affidavit must be notarized (see below) in order to be processed by the Department Air Quality Division. A notary is available in the Air Quality office for your convenience (appointment required).

## ACKNOWLEDGMENT

STATE OF ALASKA)

) ss

FOURTH JUDICIAL DISTRICT)

On \_\_\_\_\_, 202\_\_, \_\_\_\_\_ personally appeared before me,  
\_\_\_\_\_ who is personally known to me  
\_\_\_\_\_ whose identity I proved on the basis of \_\_\_\_\_  
to be the signer of the above instrument, and he/she acknowledged that he/she signed it.

\_\_\_\_\_  
Notary Public Signature

(Seal)

My commission expires: \_\_\_\_\_

**Please note:** Once the application and all supporting documentation have been submitted, and you have signed up to receive alerts, please allow 1-2 weeks for the Department’s NOASH determination. Air Quality staff will process applications as quickly as possible, in the order they are received, and in many instances an exemption may be granted the same day an application is submitted.

## Checklist:

I understand that the following documentation must be completed and/or submitted for each application (initial each requirement):

- \_\_\_\_\_ Pictures of each appliance for which you are requesting the exemption -- Pictures should clearly show the front and side of the appliance(s) and, if possible, the EPA certified data plate on the back of the device. The Air Quality office should be able to clearly identify an appliance from the pictures that are submitted.
- \_\_\_\_\_ Picture(s) demonstrating your ability to properly store wood – Per 18 AAC 50.076(b), proper wood storage is defined as “covering the top of the wood pile to protect from rain and snow, leaving sides of the stack open to breathe.” For more information, visit <https://dec.alaska.gov/air/burnwise/>.
- \_\_\_\_\_ Wood stored on property that is to be used for winter heating is properly seasoned before use and can meet a moisture content of 20% or less.
- \_\_\_\_\_ Burn Wise – Watch the Burn Wise videos (available on our website at <https://dec.alaska.gov/air/burnwise> or on a DVD from the Air Quality Office).
- \_\_\_\_\_ Sign up to receive alerts – Go to: <https://dec.alaska.gov/air/anpms/air-alert-notification-sign-up/> to sign up for text or email notifications. Sign up will be verified prior to waiver issuances unless there is an inability to comply. In the case of inability to comply, call the DEC wood burning waiver program at (907)451-5172. For additional information regarding regulations, and air quality in general, visit Air Online Services (AOS) on the Division of Air Quality webpage to sign up for this additional information.
- \_\_\_\_\_ Affidavit stating the reason(s) a NOASH waiver should be granted. **(NOASH Rationale Affidavit)**
- \_\_\_\_\_ Notice of Restrictions – Read through the form for a quick summary of the Department’s air quality regulations, and then sign acknowledging that you have read the information. **(Notice of Restrictions for Solid Fuel Burning Appliances)**
- \_\_\_\_\_ Documentation that the chimney has been swept within the last 12 months. **(Chimney Cleaning Affidavit)**
- \_\_\_\_\_ Completion of the installation verification affidavit. **(Installation Verification Affidavit)**
- \_\_\_\_\_ Documentation showing communication with the Fairbanks North Star Borough Air Quality Department (FNSB AQ) regarding possible heating improvement options. **(ADEC NOASH and Stage 1 Waiver Pre-Application)**
- \_\_\_\_\_ If the SFBA has a catalyst, proof (e.g., receipts, invoices, affidavits) that that the catalyst has been maintained in accordance with manufacturer recommendations or specifications. **(Catalyst Maintenance Affidavit)**
- \_\_\_\_\_ Certification and notarization of application.