



# Seward, AK

## Local Response Conex



Two 20-foot Local Response Container located in the Seward Small Boat Harbor, co-located next to the Coast Guard response container.

### Contacts for access to this conex:

|                              |                |
|------------------------------|----------------|
| Seward Harbormaster's Office | (907) 224-3138 |
| Harbor On-Call Duty Phone    | (907) 362-3030 |
| ADEC Responders (ADEC)       | 1-800-478-9300 |



### LOCATION MAP



## SEWARD RESPONSE CONEX

| QTY                               | UNIT  | DESCRIPTION  | USED DATE | QTY |
|-----------------------------------|-------|--|-----------|-----|
| <b>INITIAL RAPID RESPONSE KIT</b> |       |  |           |     |
|                                   |       |  |           |     |
| <b>SECURITY/LIGHTING</b>          |       |  |           |     |
| 1                                 | ea    | American padlock, heavy duty w/2 keys  |           |     |
| 2                                 | ea    | 8" X 8" X 8' AWW treated timbers for blocking  |           |     |
| <b>CONTAINMENT</b>                |       |  |           |     |
| 600                               | ft    | <b>ADEC Elastec Harbor boom 8" x 12" X 100 foot sections w/accessories:</b>  |           |     |
| 2                                 | ea.   | Elastec Tow Bridle with float ASTM "Z"   |           |     |
| 1                                 | ea.   | 3/8" 3-Strand Braided Nylon Line, 600' spool   |           |     |
| 21                                | ea.   | Anchor/Tow Lines: 1/2" X 100 ' Twisted Nylon lines with: 1/2" Galvanized Thimble in each end of lines  |           |     |
| 8                                 | ea.   | Anchor Chains: 3/8" (10mm) X 10' long, Proof Coil "Hot Dipped" Galvanized Chain with a 3/8" "Eye to Eye" Swivel and 2- 3/8" Galvanized Shackles on one end of each 10' section of chain  |           |     |
| 7                                 | ea.   | Anchors: 22 lb Danforth self-burying anchor with a 1/2" Galvanized Shackle to the "contact plate" of each Danforth anchor and 1/2" Galvanized Shackle in each Danforth anchor "Shaft Eye"  |           |     |
| 14                                | ea.   | Buoys: Polyform type, size: A-1, Crab Buoys, color: Orange, each buoy with: a 10' section of 1/2" Twisted Nylon rope through each buoy's eye , a 1/2" Galvanized Shackle on each end of the 10' line. , a 1/2" Galvanized Shackle attached to the thimble on each end of the 10' line. |           |     |
| 14                                | ea.   | Stainless Steel Snap Hooks: 7/16" Stainless Steel Snap Hooks, to fit onto thimble ends of the above 10' Buoy lines.  |           |     |
| 12                                | secs. | <b>ADEC Swift / fast Water Boom 4" X 2" X 25 foot Sections w/accessories:</b>  |           |     |
| 10                                | ea.   | 3/8" Stainless Steel Boom connector toggle pin for the 6" boom   |           |     |
| 4                                 | ea.   | 8 lb. galvanized Danforth Anchor with 3/8" shackle drill into the head of each anchor and shackle attached   |           |     |
| 4                                 | ea.   | 1/4" Galvanized Anchor Chain (10' sections)  |           |     |
| 4                                 | ea.   | A-0 Poly Florescent Orange Buoys w/ 2 foot "tag lines-spliced eyes each end attached   |           |     |
| 8                                 | ea.   | White Nylon 3-Strand Anchor Lines 3/8" X 50' w/thimble eye each end  |           |     |
| 14                                | ea.   | 7/16" Galvanized Snap Hooks  |           |     |
| 20                                | ea.   | 3/8" Galvanized Shackles   |           |     |
| 1                                 | ea.   | 5/16" X 600' Spool, 3 Strand Braided Nylon Line  |           |     |
| 4                                 | ea.   | Tow mini bridle, boom cable type w/float for the 6" boom. 3" Perm. Stenciling.   |           |     |

# SEWARD RESPONSE CONEX

| QTY             | UNIT  | DESCRIPTION   | USED DATE | QTY |
|-----------------|-------|---|-----------|-----|
| <b>RECOVERY</b> |       |   |           |     |
| 20              | bdls. | Sorbent boom, STWB510SN, (4 each 5" X 10' lengths per bundle)   |           |     |
| 30              | bdls. | Sorbent pads, type 3M HP 156, 17" X 19", (100 count per bundle) |           |     |
| 2               | rolls | Sorbent roll, type 3M HP-100, High Capacity, 38" X 144'         |           |     |
| 20              | bdls. | 3M Brand, Model T-126, 17"X 100' Sorbent Sweeps (bundles)       |           |     |
| 2               | bags  | Opti-sorb Absorbent (Floor Dry) in Bags                         |           |     |
| 1               | ea    | Pump, Fill Rite FR 1604 Pump Kit Fuel oil pujmp 8 gpm, 12 volt  |           |     |
|                 |       |   |           |     |
| <b>STORAGE</b>  |       |   |           |     |
| 2               | ea    | 95 gallon Poly-over-pack drums-screw top castle                 |           |     |
| 3               | roll  | Over-pack drum liners, 6-mil (50 count to a roll)               |           |     |
| 2               | box   | Oily waste clean-up bags, 33"X40"X 4-mil (100 count)            |           |     |
| 1               | drum  | Steel 55-gallon open top drum w/lid.                            |           |     |
| 1               | roll  | 10 mil Reinforced "Blue Stripe" Poly sheeting, 20' X 100'       |           |     |
| 1               | roll  | 6 mil Clear Poly Sheeting (Visqueen) 12'X100'                   |           |     |
| 1               | ea    | 1000-gallon Fol-da-Tank-Urethane Tank/ Steel Frame              |           |     |
| <b>PPE</b>      |       |   |           |     |
| 1               | tote  | Tyvex Coveralls (medium)  |           |     |
| 1               | tote  | Tyvex Coveralls (XL)  |           |     |
| 1               | tote  | Tyvex Coveralls (XXL)   |           |     |
| 1               | tote  | Tyvex Coveralls (XXXL)  |           |     |
| 1               | tote  | Rain Suits (assorted sizes)                                     |           |     |
| 1               | tote  | Overboots (assorted sizes)                                      |           |     |
| 1               | tote  | Protective Gloves (assorted insulated and non-insulated)        |           |     |

If any of the items in the conex were used, please mark "X" in the USED column and indicate the quantity used.

In addition, please fill out the portion below and send the modified form to the following address:

ADEC/SPAR/PPRP

Email: [dec.carspillreport@alaska.gov](mailto:dec.carspillreport@alaska.gov)

or fax: 907-269-7687

\_\_\_\_\_  
Conex Accessed By: (please print neatly)

\_\_\_\_\_  
Association (Business, Agency, etc.)

**ADEC Contact Information:**

ADEC Responders

(800) 478-9300

\_\_\_\_\_  
Signature and Date