


POM-POM PACK RESULTS

Nearly 200 pollock and Pacific cod pom-pom packs were distributed to personnel at seafood processors who dealt directly with vessel captains, with direction to distribute the packs to the fleet for deployment in their RSW tanks (Appendix T). No reports of oiled mesh pillows or snares were received.

SEAWATER STRAINER RESULTS

From January 1-28, 2005, seawater strainer (SS) results were recorded on three vessels operating within the Unalaska Bay Zone (Figures 19-22 and Appendix D). Trace amounts of oil were reported on two occasions (Figures 20 and 21).


Figure 19: Unalaska Bay Zone Seawater Strainer Results Phase 2 (1/1/05- 1/10/05)
See Appendix D for data table.



Version May 2005, Nuka Research

Selendang Ayu Oil Spill Fisheries Water Quality Sampling Program

Figure 20: Unalaska Bay Zone Seawater Strainer Results Phase 3 (1/11/05-1/17/05) See Appendix D for data table.



Version May 2005, Nuka Research

Selendang Ayu Oil Spill Fisheries Water Quality Sampling Program

Figure 21: Unalaska Bay Zone Seawater Strainer Results Phase 4 (1/18/05-1/21/05) See Appendix D for data table.




Figure 22: Unalaska Bay Zone Seawater Strainer Results Phase 4 (1/22/05-1/28/05) See Appendix D for data table.

