



THE STATE  
of **ALASKA**  
GOVERNOR MIKE DUNLEAVY

**Department of Environmental  
Conservation**  
**DIVISION OF WATER**

**Wastewater Discharge Authorization  
Program**

April 5, 2022

Jared Kinney  
16515 Centerfield Drive, Suite 101  
Eagle River, AK 99577

555 Cordova Street  
Anchorage, Alaska 99501-2617

Main: 907.269.6285

Fax: 907.334.2415

[www.dec.alaska.gov/water/wastewater](http://www.dec.alaska.gov/water/wastewater)

Re: Municipality of Anchorage – Parkview Terrace  
Storm Water Project No.: 22-WW-053-006

Dear Mr. Kinney:

This letter is in response to your storm water plan received on 2/23/2022. Based on my review and in accordance with 18 AAC 72.600 Wastewater Disposal Regulations, the Department's storm water approval is granted. This storm water plan approval constitutes an authorization as specified under AS 46.03.100(a). Please keep me posted if any modifications to the subject plans are made.

This letter of approval does not imply the granting of additional authorizations, nor obligate any state, federal, or local government to grant any additional required authorizations.

DEC regulations provide that any person who disagrees with this decision may request an informal review by the Division Director in accordance with 18 AAC 15.185 or an adjudicatory hearing in accordance with 18 AAC 15.195 – 18 AAC 15.340. An informal review request must be delivered to the Director, Division of Water, 555 Cordova Street, Anchorage, AK 99501, within 20 days of the permit decision. Visit <http://dec.alaska.gov/commish/review-guidance/> for information on Administrative Appeals of Department decisions.

An adjudicatory hearing request must be delivered to the Commissioner of the Department of Environmental Conservation, PO Box 111800, Juneau, AK 99811-1800; Location: 410 Willoughby Avenue, Suite 303, Juneau within 30 days of the permit decision. If a hearing is not requested within 30 days, the right to appeal is waived.

Thank you for your coordination with the Department. If you have any questions, please contact me at 907-334-2288 or via email at [James.Rypkema@alaska.gov](mailto:James.Rypkema@alaska.gov).

Sincerely,

A handwritten signature in black ink that reads "James Rypkema".

James Rypkema  
Program Manager, Storm Water and Wetlands