



THE STATE  
of **ALASKA**  
GOVERNOR BILL WALKER

Department of Environmental  
Conservation

DIVISION OF WATER  
Wastewater Discharge Authorization Program

555 Cordova Street  
Anchorage, Alaska 99501-2617  
Main: 907.269.6285  
Fax: 907.334.2415  
[www.dec.alaska.gov/water/wwdp](http://www.dec.alaska.gov/water/wwdp)

May 9, 2017

State of Alaska, Department of Natural Resources (DNR)  
Attention: Robert Carter  
5310 S. Bodenburg Spur  
Palmer, AK 99645

Re: AKG870020: DNR Sport Lake

Dear Mr. Carter:

The Alaska Department of Environmental Conservation (DEC) has completed its review of your AKG870000 Pesticide General Permit (PGP) Notice of Intent (NOI) and is issuing the following authorization number: **AKG870020**. The wastewater discharge is authorized in accordance with the terms of the general permit and any site specific requirements in this authorization for the following pest management areas identified in the NOI:

Pest Management Area: Sport Lake Kenai Peninsula, Pest Management Area 1 of 1

Pesticide Use Patterns:

- ☐ Mosquito and Other Flying Insect Pest Control ☐ Animal Pest Control  
☒ Weed and Algae Pest Control ☐ Forest Canopy Pest Control

Pest(s) to be controlled:	Pesticide Products	
	Product Name:	EPA Registration Number:
Elodea spp.	Littora	67690-53
Elodea spp.	SonarOne	67690-45
Elodea spp.	Sonar Genesis	67690-54

An electronic copy of the PGP is available at [http://dec.alaska.gov/water/wnpspc/stormwater/docs/AKG870000\\_2017\\_PGP.pdf](http://dec.alaska.gov/water/wnpspc/stormwater/docs/AKG870000_2017_PGP.pdf) and a copy of this authorization letter is posted to the DEC water permit search website <http://dec.alaska.gov/Applications/Water/WaterPermitSearch/Search.aspx>.

The authorization effective date is 5/9/2017

The authorization to discharge expires upon submittal of a Notice of Termination, see [Permit Part 1.2.6](#).

The permittee is reminded of the following permit requirements: Technology-Based Effluent Limitations, [Part 2.2, Decision-makers' Responsibilities for All Decision-makers](#)

- Technology-Based Effluent Limitations, [Part 2.2, Decision-makers' Responsibilities for Decision-makers Required to Submit NOIs](#)
- Water Quality, [Part 3](#)
- Monitoring, [Part 4](#)
- Pesticide Discharge Management Plan, [Part 5](#)
- Corrective Action, [Part 6](#)
- Recordkeeping, Parts [7.1](#), [7.4](#), and [7.5](#)
- Annual Report, [Part 7.6](#)

- Standard Permit Conditions, [Permit Appendix A](#)

If you are self-applying a pesticide, your requirements also include:

- Technology-Based Effluent Limitations, [Part 2.1 Applicators' Responsibilities](#)

A copy of the [PGP AKG870000](#) and this authorization must be kept at the address provided in the NOI. This authorization does not relieve the permittee from other local, state, or federal government permitting requirements.

If you have any questions regarding the above, please contact me at 907-334-2288 or via email at [James.Rypkema@alaska.gov](mailto:James.Rypkema@alaska.gov).

Sincerely,

James Rypkema  
Section Manager, Storm Water and Wetlands

Enclosure: Pesticide Discharge map (if provided in NOI).

cc: w/enclosure (email)  
John Morton, Kenai National Wildlife Refuge, USFWS  
Pete Johnson, ADNR



# Sport Lake Treatment Area: Elodea Eradication

